


Wholesale Catalogue

March 2020



MAKING THE RIGHT CONNECTIONS



DEBOX®

The time and money-saving tool-less junction box. Flame retardant UL94V-0 housing, includes UL/VDE approved 4-pole screw or screwless terminal block, EN60670-22 (Pull Test), locking clip, maintenance free.

debox [®] S			debox [®] SL			debox [®] SL2		
Max 24amp			Max 16amp			Max 32amp		
								
Code	H x W x D	Trade Price	Code	H x W x D	Trade Price	Code	H x W x D	Trade Price
Debox S	28.5 x 50 x 97mm	£1.08	Debox SL	28.5 x 50 x 97mm	£2.01	Debox SL2	35 x 47 x 107mm	£2.36
DEKSB-002	(includes 1x4-pole terminal block)		DEKSB-003	(includes 1x4-pole screwless terminal block)		DEKSB-004/5	(5x3-pole screwless terminal blocks included)	

IP65 & IP66, IK08 & IK10 DOOR ENCLOSURES

ABS-HB flame retardant plastic, sheet steel and stainless steel. 3-year corrosion warranty, metal lock & keys, pre-wired earth strap, external mounting feet & galvanised steel back plate all included.

IP66 ABS PLASTIC ENCLOSURES

Supplied with 35mm DIN RAIL & mounting screws.
Sealed to IP66 and robust to IK08.

Grey Door (RAL 7035)	Trade Price	Transparent Door	Trade Price	HxWxD
DN12E	£8.96	DN12T	£10.52	125 x 125 x 75mm
DN13E	£9.79	DN13T	£11.54	125 x 125 x 100mm
DN14E	£10.98	DN14T	£12.93	175 x 125 x 75mm
DN15E	£12.10	DN15T	£14.26	175 x 125 x 100mm
DN16E	£13.47	DN16T	£15.85	175 x 125 x 125mm
DN17E	£14.75	DN17T	£17.67	175 x 125 x 150mm
DN18E	TBA	DN18T	TBA	175 x 175 x 125mm



IP65, IK08 ABS PLASTIC DOOR ENCLOSURES
ABS-HB Flame retardant plastic. Galvanised steel backplate & mounting brackets. Grey (RAL 7035) body with solid or transparent door.

Grey Door (RAL 7035)	Trade Price	Transparent Door	Trade Price	HxWxD
DED001	£37.68	DED011	£47.22	300 x 200 x 130mm
DED002	£42.80	DED012	£54.70	350 x 250 x 150mm
DED004	£54.88	DED014	£70.47	400 x 300 x 170mm
DED005	£65.08	DED015	£77.95	400 x 300 x 220mm
DED006	£80.44	DED016	£96.43	500 x 350 x 190mm
DED007	£91.35	DED017	£110.65	500 x 400 x 240mm
DED008	£91.34	DED018	£110.66	600 x 400 x 200mm
DED010	£209.69	DED020	£276.45	700 x 500 x 250mm
DED3003	£80.43	DED3013	£96.43	500 x 400 x 175mm
DED3021	£277.70	DED3022	£339.91	800 x 600 x 260mm

IP68 DIE CAST ALUMINIUM ENCLOSURES

Corrosion resistant & finished in a black powder coat (RAL 9001).
Supplied with stainless steel screws for lid assembly.



Code	HxWxD	Trade Price
31068204	125 x 80 x 57mm	£38.33
31068205	175 x 80 x 57mm	£65.65
31068206	120 x 122 x 81mm	£96.30
31068207	120 x 122 x 91mm	£97.65

IP66, IK10 STEEL DOOR ENCLOSURES

Galvanised steel housing & back plate guaranteed for 3 years against corrosion. Powder coated in grey (RAL7035). Lockable, with back plate & wall mounting brackets supplied.



Code	HxWxD	Trade Price
DEDS0099	250 x 200 x 130mm	£29.44
DEDS0100	300 x 200 x 130mm	£37.97
DEDS0102	300 x 300 x 150mm	£50.39
DEDS0200	350 x 250 x 150mm	£50.05
DEDS0300	500 x 400 x 175mm	£103.84
DEDS0400	400 x 300 x 170mm	£67.15
DEDS0500	400 x 300 x 220mm	£74.25
DEDS0502	400 x 400 x 200mm	£81.40
DEDS0600	500 x 350 x 190mm	£96.24
DEDS0601	500 x 400 x 200mm	£97.38
DEDS0611	500 x 400 x 175mm	£103.84
DEDS0700	500 x 400 x 240mm	£111.18
DEDS0702	500 x 500 x 200mm	£105.32
DEDS0800	600 x 400 x 200mm	£117.10
DEDS0802	600 x 400 x 250mm	£120.80
DEDS0803	600 x 600 x 200mm	£140.42
DEDS0900	800 x 400 x 200mm	£152.16
DEDS1000	700 x 500 x 250mm	£174.34
DEDS1001	800 x 600 x 260mm	£219.85
DEDS1012	1000 x 600 x 300mm	£286.42
DEDS1013	1250 x 600 x 300mm	£347.26



IP66, IK10 STAINLESS STEEL DOOR ENCLOSURES

Galvanised steel back plate guaranteed for 3 years against corrosion.
Lockable, with back plate & wall mounting brackets supplied.



Code	HxWxD	Trade Price
DEDS3101	300 x 200 x 150mm	£105.91
DEDS3102	300 x 300 x 150mm	£144.42
DEDS3402	400 x 300 x 200mm	£205.36
DEDS3502	400 x 400 x 200mm	£256.69
DEDS3601	500 x 400 x 200mm	£308.06
DEDS3702	500 x 500 x 200mm	£367.23

PLUG IN RELAYS & RELAY SOCKETS



Complete with test button, LED and mechanical status indicator. cRUus and TÜV approved.



Code	Description	Max Current	Trade Price
DPRN.122	2 pole, 8 pin 240v AC relay	10A/250V AC	£6.09
DPRN.132	3 pole, 11 pin 240v AC relay	10A/250V AC	£6.55
DPRN.121	2 pole, 8 pin 110v AC relay	10A/250V AC	£6.09
DPRN.131	3 pole, 11 pin 110v AC relay	10A/250V AC	£6.55
DPRN.123	2 pole, 8 pin 24v AC relay	10A/250V AC	£6.09
DPRN.124	2 pole, 8 pin 24v DC relay	10A/250V AC	£6.09
DPRN.133	3 pole, 11 pin 24v AC relay	10A/250V AC	£6.55
DPRN.134	3 pole, 11 pin 24v DC relay	10A/250V AC	£6.55
DPRN.142	4 pole, 14 pin 240v AC relay	5A/250V AC	£4.60
DPRN.144	4 pole, 14 pin 24v DC relay	5A/250V AC	£4.60
DPRN.141	4 pole, 14 pin 110v AC relay	5A/250V AC	£4.60
DPRN.143	4 pole, 14 pin 24v AC relay	5A/250V AC	£4.60
DS08.1	2 pole, 8 pin screw terminal relay socket		£2.71
DS11.1	3 pole, 11 pin screw terminal relay socket		£2.80
DS14.1	4 pole, 14 pin screw terminal relay socket		£2.93

POLYPROPYLENE KWIK-SNAP CONNECTORS



Code	Description	Pack QTY	Trade Price
HYKS-02412PP-5	24A 8mm, 4mm ²	5	£3.95
HYKS-03212PP-5	32A 10mm, 6mm ²	5	£4.40
HYKS-05712PP-4	57A 12mm, 10mm ²	4	£5.52
HYKS-07612PP-3	76A 14.5mm, 16mm ²	3	£7.68

CERAMIC TERMINAL BLOCKS

Steatite connectors, VDE approved, rated up to 1,000°C.



Code	Description	Pack QTY	Trade Price
DESTB-0251-W	1P 24A 2.5mm ²	5	£2.10
DESTB-0252-W	2P 24A 2.5mm ²	5	£3.45
DESTB-0253-W	3P 24A 2.5mm ²	5	£5.40
DESTB-0254-W	4P 24A 2.5mm ²	5	£6.63
DESTB-0401-W	1P 32A 4mm ²	5	£3.55
DESTB-0402-W	2P 32A 4mm ²	5	£5.70
DESTB-0403-W	3P 32A 4mm ²	5	£7.85
DESTB-0404-W	4P 32A 4mm ²	5	£10.95
DESTB-1002-W	2P 57A 10 mm ²	5	TBA
DESTB-1003-W	3P 57A 10 mm ²	5	TBA

KWIK WIRE CONNECTORS



Code	Description	Trade Price
HYKW-02	2P 20A red Kwik-Wire	£0.13
HYKW-03	3P 20A orange Kwik-Wire	£0.16
HYKW-04	4P 20A yellow Kwik-Wire	£0.20
HYKW-05	5P 20A grey Kwik-Wire	£0.22
HYKW-08	8P 20A black Kwik-Wire	£0.44

KWIK-LEVER


New screwless lever connectors. 32 amp. VDE pending approval.



Code	Levers	Trade Price
HYKL-02	2	£0.22
HYKL-03	3	£0.26
HYKL-05	5	£0.41

Lost the spark with
your current supplier?

Get connected with Hylec





FILTER FANS AND FILTER ASSEMBLIES

Code	Description	Trade Price
DETF 1500	240v AC fan, flow rate 100m ³ /hr, dim's 160x160x69mm	£20.36
DEFI 1500	Vent cover for DETF 1500	£8.04



DOCUMENT HOLDER

Code	Trade Price
DEA4 – A4 size holder	£9.93
DEA5 – A5 size holder	£9.93



ALUMINIUM PROFILE PANEL HEATERS, PTC RESISTOR, SELF-REGULATING ELEMENTS

Code	Description	Trade Price
DEHT 050	Power supply 110-250V AC/DC, 30W heating capacity, electronic thermal overload. Aluminium profile, unit size 138x70x59mm	£49.15
DEHT 075	Power supply 110-250V AC/DC, 30W heating capacity, electronic thermal overload. Aluminium profile, unit size 178x70x59mm	£73.73



TEMPERATURE AND RH CONTROLLERS

Code	Description	Trade Price
DETHT	T'Stat, N/C, setting range 0-60°C, max current 10A @ 240V AC, size 61x34x38mm	£9.83
DETVT	T'Stat, N/O, setting range 0-60°C, max current 15A @ 240V AC, size 61x34x38mm	£9.83
DETHVT	Dual T'Stat, N/O & N/C, setting range (both) 0-60°C, max current 15A (N/O) and 10A (N/C) both @ 240V AC, size 65x59x42mm	£21.85

CABLE GLANDS



IP68 CABLE GLANDS

Pack of 10 x nylon glands with locknuts in grey or black.

Grey (RAL7035)	Black (RAL9005)	CABLE Ø	Pack Qty	Trade Price
HYCGLGM16-10	HYCGLBM16-10	5-10mm	10	£7.12
HYCGLGM20-10	HYCGLBM20-10	8-13mm	10	£7.39
HYCGLGM25-10	HYCGLBM25-10	11-17mm	10	£11.01



IP68 KWIK-FIX CABLE GLANDS

Pack of 5 x nylon glands, No locknuts required, in grey (RAL7035) or black (RAL9005).

Grey (RAL7035)	Black (RAL9005)	CABLE Ø	Pack Qty	Trade Price
K341-1016-00-5	K341-1016-02-5	5-10mm	5	£5.79
K341-1020-00-5	K341-1020-02-5	8-13mm	5	£6.35
K341-1025-00-5	K341-1025-02-5	11-17mm	5	£7.12



IP68 NICKEL-PLATED BRASS CABLE GLANDS

Pack of 5 x cable glands with locknuts.

Code	Description	CABLE Ø	Trade Price
HYCGLM16LNPB-5	M16 long thread gland and locknuts	5-9mm	£24.93
HYCGLM20LNPB-5	M20 long thread gland and locknuts	9-13mm	£29.47
HYCGLM25LNPB-5	M25 long thread gland and locknuts	11-16 mm	TBA



IP69K, IP68 RATED VENTING ELEMENTS

Protect enclosures from excessive pressure due to internal/external temperature fluctuations. Manufactured from flame retardant PA6.

Code	Description	Pack Qty	Trade Price
JDAE12PA-5	Grey (RAL7035) M12 mounting	5	£17.14
JDAE20PA-5	Grey (RAL7035) M20 mounting	5	£18.12
JDAE12ES4305	Stainless steel M12 mounting	1	£14.57

ROTARY ISOLATOR SWITCHES

IP66 rated, high reliability, large housing for fast & easy installation, Polycarbonate UL94V-0 flame retardant housing, 4-pole, can be padlocked (not included).



AC Range

Code	Description	Trade Price
DE1S.04.20AC	IP66 rated AC Rotary Isolator Switch. 20A	£9.42
DE1S.04.25AC	IP66 rated AC Rotary Isolator Switch. 25A	£9.46
DE1S.04.32AC	IP66 rated AC Rotary Isolator Switch. 32A	£11.07
DE1S.04.40AC	IP66 rated AC Rotary Isolator Switch. 40A	£12.02
DE1S.04.63AC	IP66 rated AC Rotary Isolator Switch. 63A	£17.04
DE1S.04.80AC	IP66 rated AC Rotary Isolator Switch. 80A	£22.75
DE1S.04.100AC	IP66 rated AC Rotary Isolator Switch. 100A	TBA



DC Range

Code	Description	Trade Price
DE1S.04.16DC	IP67 rated DC Rotary Isolator Switch. 16A	£36.58
DE1S.04.25DC	IP67 rated DC Rotary Isolator Switch. 25A	£37.25
DE1S.04.32DC	IP67 rated DC Rotary Isolator Switch. 32A	£40.23



IP66 CONTROL STATIONS

Emergency stop, stop/start and momentary action push-button switches. Rugged ABS housing. Supplied with 1xN/O and 1xN/C contact as standard. Contact rating 240V (3A) / 415V (1.5A). Available DIN rail and chassis/wall mounting bracket accessories DEDB/DEFB (except palm/foot switch).

E-STOPS & PALM/FOOT SWITCH CONTROL STATION

	Code	Description	Trade Price
	1DE.01.01AB-W	Twist to release emergency stop	£18.27
	1DE.01.03AB-W	Emergency stop, key reset	£19.13
	1DE.02.01AB-W	Dual fail-safe e-stop and start	£19.90
	1DE.SP.21NR-W	Palm/foot switch red button	£34.86
	1DE.SP.21NG-W	Palm/foot switch green button	£34.86
	1DE.SP.21NB-W	Palm/foot switch black button	£34.86

STANDARD PUSH-BUTTONS AND SELECTOR SWITCH CONTROL STATIONS

	Code	Description	Trade Price
	1DE.01.04AB	Single stop push-button stations, grey cover, black base, red flush push-button	£11.92
	1DE.01.06AB	Single start push-button stations, grey cover, black base, green flush push-button	£11.79
	1DE.01.08AB	2-position selector, grey cover, black base	£12.92
	1DE.01.09AB	Key 2-position selector, grey cover, black base	£20.22
	1DE.01.10AB	Dual push-button start/stop station	£14.87

IP67 DE ENCLOSURES WITH HOLE

Enclosures for 22mm control station switches. Rugged ABS housing & threaded M20 cable gland knockouts. Compatible with non-invasive clip-on DIN rail & chassis/wall-mounting bracket accessories DEDB/DEFB.

	Holes	Grey Top	Trade Price		Holes	Yellow Top	Trade Price
	One	DE01S-A-GB	£2.72		One	DE01D-A-YB	£6.02
	Two	DE02S-A-GB	£3.69		Two	DE02D-A-YB	£7.74
	Three	DE03S-A-GB	£3.88		Three	DE03D-A-YB	£9.08
	Four	DE04S-A-GB	£4.36		Four	DE04D-A-YB	£10.25







COMPONENTS

22mm switches, contact blocks & accessories for use with the DE0x hole enclosures. All switches are supplied with 1x N/O and 1x N/C contact blocks and have a mechanical life of 1 million operations. Contact block electrical rating is AC12 Resistive / AC15 Electromagnetic – 240V (3A) / 415V (1.5A).

SWITCHES

	Code	Description	Trade Price		Code	Description	Trade Price
	DPB22-F11R	Momentary flush head, IP66, red cap	£5.23		DPB22-L11B	Latching push release, flush head, IP66, black cap	£6.87
	DPB22-F11G	Momentary flush head, IP66, green cap	£5.23		DPB22-M11R	Momentary 40mm mushroom head, IP56, red button	£5.58
	DPB22-F11Y	Momentary flush head, IP66, yellow cap	£5.23		DPB22-M11G	Momentary 40mm mushroom head, IP56, green button	£5.58
	DPB22-F11B	Momentary flush head, IP66, black cap	£5.23		DPB22-M11Y	Momentary 40mm mushroom head, IP56, yellow button	£5.58
	DPB22-R11R	E-stop, push, twist release, EN418 fail safe, 40mm mushroom head, IP56	£6.57		DSS22-S211B	Rotary switch, standard shaft, 2 position black lever	£6.27
	DPB22-K11R	E-stop, key release, EN418 fail safe, 40mm mushroom head, IP56	£11.97		DSS22-S311B	Rotary switch, standard shaft, 3 position black lever	£6.14
	DPB22-P11G	Latching push release, elevated head, IP66, green cap	£7.00		DPB22-S11R	E-stop, push pull, twist release, EN418 fail safe, 35mm mushroom head, IP56	£7.39
					DCB-01, N/C	Contact block, 1b, 220-240V, 3A/380-415V, 1.5A	£1.60
					DCB-10, N/O	Contact block, 1a, 220-240V, 3A/380-415V, 1.5A	£1.60

LAMPS & ACCESSORIES

	Code	Description	Trade Price	
	DLD22-RE	Mono block, flush head lamp, red, AC/DC 100-120V	£2.64	
	DLD22-GE	Mono block, flush head lamp, green, AC/DC 100-120V	£2.64	
	DLD22-RI	Mono block, flush head lamp, red, AC/DC 220-240V	£2.64	
	DLD22-GI	Mono block, flush head lamp, green, AC/DC 220-240V	£2.64	
	DLD22-YI	Mono block, flush head lamp, yellow, AC/DC 220-240V	£2.64	
	DM01-OY	Yellow shroud	£1.90	
	DM01-OW	White shroud	£1.90	
	DPB-22-R01C	Yellow emergency stop legend plate	£0.95	
	DPPB-02T	Fixing nut tool	£1.25	
	DPPB22-01C	Legend holder, black	£0.30	
	DEDB	Black snap-on mounting DIN rail bracket for hole enclosures and control stations (except Palm/Foot switch)	£0.38	
	DEFB	Black snap-on mounting flange bracket for hole enclosures and control stations (except Palm/Foot switch)	£0.69	

WEATHERPROOF CONNECTORS

High IP-rated weatherproof connectors with a temperature range of -20°C to +125°C. ENEC and UL approved. Suitable for internal & external use. Robust construction, ideal for cable jointing/power-splitting applications.

Teetubes

IP68 2 entry, in-line connectors, all with a max conductor size of 4mm² and a max current of 32A.



Code	Poles	Min-Max Cable Ø	Trade Price
TTK20BK-SD-W	3	5-13mm	£8.89
TTK25BK-SD-W	5	8-17mm	£12.05
THB.390.A1A-W	3	7-13.5mm	£10.22
THB.391.A2A	2	7-12mm	£10.48
THB.391.A3A	3	7-12mm	£10.94
THB.391.A4A	4	7-12mm	£11.46



Accessories

Code		Trade Price
6000012200	3-pole insert assembly tool	£0.82
6000009600	5-pole insert assembly tool	£0.82

Teetubes

IP68 3 entry, power splitter connectors, all with a max conductor size of 4mm².



Code	Poles	Length	Style	Min-Max Cable Ø	Max Current (A)	Trade Price
THB.390.C1A-W	3	Short	T	7-13.5mm	32A	£11.52
THB.399.A3A	3	Long	Y	7-13.5mm	32A	£17.60
THB.399.A5A	5	Long	Y	7-13.5mm	32A	TBA
THB.399.D6A	6	Long	Y	8-17.5mm	16A	£30.62
THB.399.D9B	3+3	Long	Y	8-17mm	16A	£29.02
THB.399.E3A	3	Short	Y	7-13.5mm	25A	£17.98
THB.402.C1A	3	Long	T	7-13.5mm	32A	£14.18
THB.402.C2E	3+3	Long	T	7-13.5mm	32A	£20.24
THB.402.D1F	5	Long	T	7-13.5mm (2), 8-17mm (1)	32A	£17.44
THB.402.D1G	6	Long	T	7-13.5mm (2), 8-17mm (1)	32A	£17.97



Teebox

IP67 & IP68 standard connectors



Code	Poles	Cable Entries	Max Conductor	Min-Max Cable Ø	Max Current	Description	Trade Price
THK.200.C2E-W	3	3	2.5mm ²	4-9.5mm	25A	IP67 splitter box	£11.24
THK.200.3T-W	3	3	4mm ²	4-9.5mm	32A	IP67 splitter box. Utilises unique T style terminal block to save time on assembly	£22.39
THK.209.08	8	4	4mm ²	7-14mm	32A	IP68 splitter box	£31.23
THK.209.44	4+4	4	4mm ²	7-14mm	32A	IP68 splitter box	£32.14
THK.209.3HP	3	4	6mm ²	7-14mm	32A	IP68 splitter box	£24.80



Teeplugs

IP68 micro and mid-sized connectors, all with a max conductor size of 4mm², a min-max cable Ø of 7-12mm, and a max current of 17.5A.



Code	Poles	Connection Type	Trade Price
THB.384.A2A	2	Plug	£8.37
THB.384.B2A	2	Socket	£9.97
THB.384.03-W	3	Plug & socket kit	£18.86
THB.384.A1A	3	Plug	£8.48
THB.384.B1A	3	Socket	£10.12
THB.387.A4A	4	Plug	£10.89
THB.387.B4A	4	Socket	£10.89
THB.387.C4A	4	Chassis mount plug	£10.28
THB.387.D4A	4	Chassis mount	£10.28

Teeplugs

IP68 standard sized connectors, all with a max conductor size of 4mm² and a min-max cable Ø of 7-14mm.



Code	Poles	Max Current	Connection Type	Trade Price
THB.381.02	2	10A	Micro Plug & Socket Kit	£20.22
THB.405.A2B	3	25A	Plug	£12.64
THB.405.B2B	3	25A	Socket	£13.72
THB.405.A2B-03-W	3	25A	Plug & socket kit	£27.02
THB.405.A2A	5	17.5A	Plug	£12.90
THB.405.B2A	5	17.5A	Socket	£13.97
THB.406.A1B	3	25A	Chassis mount plug	£9.35
THB.406.A1A	5	17.5A	Chassis mount plug	£10.28
THB.406.A1E	6	17.5A	Chassis mount plug	£8.21



TH381 The NEW Plug & Micro-Connector

Smallest IP68/69K rated connector on the market with a diameter of only 14 mm.



POWER DISTRIBUTION CABLES

IP68 standard sized connectors, all with a max conductor size of 4mm².



POWER DISTRIBUTION CABLES

THB.392 available as XDry anti-condensation version THB.392.R4A

Code	Poles	Cable Entries	Input/Output	Min-Max Cable Ø	Max Current	Trade Price
THB.392.A4A	3	4	1/3	8-12mm	17.5A	£27.31
THB.392.R4A	4	4	1/3	8-12mm	17.5A	£31.34
THB.392.A4B	4	3	1/2	8-12mm	17.5A	£25.20

PRE-INSTALLED GEL CONNECTORS

IP68 rated splitter and junction boxes.



Code	Poles	Cable Entries	Max Conductor	Min-Max Cable Ø	Max Current	Description	Trade Price
5625/415/1121	4	4	2.5mm ²	6.5-12mm	16A	Splitter box	£19.05
5625/1121	3	4	4mm ²	6.5-12mm	16A	Splitter box	£18.29
5633/86	3	2	2.5mm ²	8-10mm	16A	Junction box	£14.92
5665/221	2	2	2.5mm ²	4.8-6mm	10A	Mini junction box	£10.11

DEC SERIES 3 POLE CONTACTORS

110V, 240V, 415V & 450V coils available.



	240V	415V	Details	Trade Price
	DEC-11D10I7	DEC-11D10L7	3-pole contactor, AC1 25A 240/415V AC coil	£19.45
	DEC-12D10I7	DEC-12D10L7	3-pole contactor, AC1 25A 240/415V AC coil	£21.39
	DEC-18D10I7	DEC-18D10L7	3-pole contactor, AC1 32A 240/415V AC coil	£30.34
	DEC-25D10I7	DEC-25D10L7	3-pole contactor, AC1 40A 240/415V AC coil	£44.73
	DEC-35D10I7	DEC-35D10L7	3-pole contactor, AC1 50A 240/415V AC coil	£50.57



THERMAL OVERLOAD RELAYS

Code	Relay Setting Range RC (FLC) A	Contactor Type	Trade Price
DETH-0.75	0.5-0.75	DEC-11D	£19.71
DETH-1.05	0.75-1.05	DEC-11D	£19.71
DETH-1.45	1.05-1.45	DEC-11D	£19.71
DETH-2.5	1.8-2.5	DEC-11D	£19.71
DETH-4	2.9-4	DEC-11D	£19.71
DETH-6.5	4.5-6.5	DEC-11D	£19.71
DETH-8	6-8	DEC-11D	£19.71
DETH-11	8-11	DEC-11D	£19.71
DETH-14	11-14	DEC-11D/DEC-12D	£20.53
DETH-15	10-15	DEC-12D	£20.53
DETH-17	14-17	DEC-12D	£20.53
DETH-21	17-21	DEC-18D	£20.53
DETH-25	21-25	DEC-18D	£21.78
DETH-28	24-28	DEC-25D	£22.60
DETH-32	26-32	DEC-25D	£23.81
DETH-38	30-38	DEC-35D	£27.92

MOTOR CONTROL GEAR PRODUCTS

IP65 DOL (direct online starter) Motor Starters



Code	DOL	Coil (V)	Load	Trade Price
DMS1-11DI7	5.5KW	240V	5.5KW @ 400V/ 440V	£36.30
DMS1-11DL7	5.5KW	450V	5.5KW @ 400V/ 440V	£36.30
DMS1-12D17	7.5KW	240V	7.5KW @ 400V/440V	£40.63
DMS1-12DL7	7.5KW	450V	7.5KW @ 400V/440V	£40.63
DMS1-18D17	10KW	240V	10KW @ 400V/440V	£48.84

Meet the Debox[®] family of junction boxes



debox[®] S

- Complete with 24A 4-Pole Terminal Block
- Flame Retardant UL94V-0 Housing
- Complete with 2 Locking Clips (1 spare)
- EN 60598-1 (GWT 650°C)
- External Fixing Lugs
- EN 60670-22 (Pull Test)
- Registered Design 002553735



debox[®] SL

- Complete with 16A 4-Pole Terminal Block
- Maintenance Free (MF)
- Flame Retardant UL94V-0 Housing
- Complete with 2 Locking Clips (1 spare)
- EN 60598-1 (GWT 650°C)
- External Fixing Lugs
- EN 60670-22 (Pull Test)
- Registered Design 002553735



debox[®] SL2

- Supplied with 5x3 Pole 32 amp Connectors
- Maintenance Free (MF)
- Flame Retardant to UL94V-0 Housing
- Complete with 2 Locking Clips (1 spare)
- EN60598-1 (Glow Wire Test 650°C)
- External Fixing Lugs
- EN 60670-22 (Pull Test)
- Unique built in double Cable Strain Relief
- Registered design 002553735-0001
- Smallest Junction Box with Five Poles



Debox S & SL

Available in CDU quantities of 72 or cartons of 400pcs

Trade Price:

Debox S: **£1.08**

Debox SL: **£2.01**

Debox SL2

Available in CDU quantities of 54 or cartons of 240pcs

Trade Price: **£2.36**

