


# Nylon Metric Cable Glands

## Range: Cable Glands/Grommets

Order Code: GCG-NMZ-M20-GD (50013M20PABS)



### DESCRIPTION

Perfect cable gland with spiral top PA7001 M20 thread length 11, min/max cable dia 6-12

### CABLE GLANDS/GROMMETS FEATURES

- IP68
- Temp range -20°C to +100°C
- Quick and easy installation without special tools.
- Wall thickness 1-4mm

*Subject to technical modification without notice.*

*Typographical and other errors do not justify claim for damages.*

## SPECIFICATION

|  |                                       |
|--|---------------------------------------|
| <b>Product Type</b>                    | Standard                              |
| <b>Sealing Ring Material</b>           | Polychloroprene-Nitrile rubber CR/NBR |
| <b>Body Material</b>                   | Polyamide                             |
| <b>Min Temperature Rating °C</b>       | -20                                   |
| <b>Max Temperature Rating °C</b>       | 100                                   |
| <b>IP Rating</b>                       | 68                                    |
| <b>Colour</b>                          | Dark Grey - RAL 7001                  |
| <b>Thread Size</b>                     | M20                                   |
| <b>Clamping Range Min (mm)</b>         | 6                                     |
| <b>Clamping Range Max (mm)</b>         | 12                                    |
| <b>External Connecting Thread Type</b> | Metric                                |
| <b>Thread Length (mm)</b>              | 11                                    |
| <b>Comments</b>                        | details about tests - see annex       |
| <b>Width Across Flat 1 (mm)</b>        | 24                                    |
| <b>Width Across Flat 2 (mm)</b>        | 24                                    |
| <b>Height (mm)</b>                     | 101.5                                 |
| <b>Connecting Thread Size</b>          | M20x1.5                               |
| <b>Additional Material Detail</b>      | Body - Polyamide PA6 V-2              |
| <b>Standards</b>                       | EN50262/UL514B                        |

## INDUSTRY ACCREDITATIONS

